



ANC-808V Pan/Tilt/Zoom Internet Camera



Specification

System

CPU: Trimedia PNX1300
RAM: 16MB SDRAM
ROM: 4MB FLASH ROM

Networking

Protocol

TCP/IP, HTTP, SMTP, FTP, Telnet, NTP, DNS and DHCP

Physical

10BaseT Ethernet or 100BaseT Fast Ethernet

Audio

32Kbps, 24Kbps, 8Kbps
Acoustic echo cancellation
Full duplex audio communication

Camera Specification

1/4 inch color CCD sensor
704x480 or 704x576
Typical: 1.5 Lux / F1.8
AGC, AWB
Electronic shutter: 1/60(1/50) to 1/120,000 sec

Lens

Focal length 4.2~42mm
Aperture F1.8~2.9
10X digital zoom
10X optical zoom

Video

Algorithm Supported

MPEG4 SP and JPEG

Features

Adjustable image size, quality and bit rate
Timestamp and text overlay
3 motion detection windows

Resolution

Up to 30/25 frames at 176x120 or 176x144
Up to 30/25 frames at 352x240 or 352x288
Up to 15/12 frames at 704x480 or 704x576

Microphone

Omni-directional
Frequency: 20 – 20,000Hz
S/N ratio: more than 58dB

Power

Consumption: MAX 12W
Universal switching power-supply included
Adapter input: 100-240VAC, 50/60Hz, 0.4A
Adapter output: 12VDC, 1.5A

Operating Environment

Temperature: 0-40°C/32-104°F
Humidity: 85%RH

EMI & Safety

CE, FCC

Viewing System Requirement

Operating System

Microsoft Windows 98SE/ME/2000/XP

Browser

Internet Explorer 6.x or above

General I/O

1 sensor input(max. 12VDC 50mA)
1 relay output(max. 24VDC 1A, 125VAC 0.5A)

LED Indicator

Dual color system status indicator

Dimension

104.5mm(L) * 104.5mm(W) * 125mm(H)

Weight

NET. 420g